



**City of Pompano Beach, Purchasing Division
1190 N.E. 3rd Avenue, Building C
Pompano Beach, Florida, 33060**

July 23, 2013

**ADDENDUM #1, BID T-47-13
FURNISH AND INSTALL PA/SOUND SYSTEM FOR FIRE STATION 11**

To Whom It May Concern,

The following items have been added to the detail specifications of the solicitation. Please include them into your bid proposal.

1. Wet Stor Rm 119 (S6):
 - A. One (1) Atlas sound FAP42T-UL20434 coaxial speaker with 70.7V/100V-16W transformer with 8Ω bypass

2. Decon Rm 117 (S9):
 - A. One (1) Atlas sound FAP42T-UL20434 coaxial speaker with 70.7V/100V-16W transformer with 8Ω bypass

The proposed system shall be connected to the existing Zetron Emergency System.

All cables shall be plenum.

The deadline for acceptance of sealed bids in the Purchasing Office, 1190 N.E. 3rd Avenue, Bldg. C, Pompano Beach, 33060, is 2:00 p.m. (local), August 7, 2013.

The remainder of the solicitation is unchanged at this time. Acknowledge receipt of this Addendum in the area provided on Page 15 of the bid.

Sincerely,

Otis J. Thomas
Purchasing Agent

cc: website
file