

Development Application

Development Review (Check all that apply)

Site	an	Building Design				
Minor		Major		Applicable (AAC Required)		Not Applicable

DEADLINE: Initial paper submission and fee must be received by 5:00 PM on the day of the deadline. *Electronic file submission must be uploaded into the ePlan system within 24 hours of this deadline*. Refer to the "Meeting Schedules and Deadlines" document provided on the City's website for submission deadlines. **To ensure quality submittal, this project will only be added to the DRC Agenda when a complete submission has been uploaded into the ePlan system. If a complete submission is not uploaded by the deadline, the application will be rejected via email.**

Application Review Process:

Application Type	Step 1	Step 2	Step 3	Step 4
MINOR Site Plan Review (Pg. 2)	DRC Review	Development Order from the DSD		
MAJOR Site Plan Review (Pg. 2)	Pre-Application		P&Z Review	Development Order from the P&Z Board
MAJOR Building Design Review (Pg. 3)	Meeting (Required Prior to DRC Submittal)	DRC Review	AAC Review	Development Order from the AAC

APPLICATION SUBMISSION PROCESS: Upon reception of the **PAPER SUBMISSION** (see below) at the Zoning Inquires counter, an email will be sent to the agent with a link to ePlan where all project drawings and documents listed in the **DIGITAL SUBMISSION** section (see below) shall be uploaded.

PAPER SUBMISSION: The following <u>paper</u> documents are to be submitted to the Planning & Zoning Department:

	One (1) completed application with original signatures. (pg. 4)*
PER	Owner's Certificate (must be completed by the Landowner). (pg. 5)*
	Signed acknowledgement receipt of the Florida NPDES Stormwater Permitting Program for Construction Activity. (pg. 6)
A	Four (4) Electronic Signature Affidavits (unless a 3 rd party digital signature is utilized). See P&Z webpage for instructions.
D	Application Fee as established by resolution of the City Commission. See <u>Appendix C - Fee Schedule</u> in the Information section of the P&Z webpage.

DIGITAL SUBMISSION: The following <u>digital</u> documents are to be uploaded directly to Electronic Plan Review (ePlan):

	Recorded or proposed plat.
Z	Narrative with project specifics including a full description of the proposed development (PDF).*
A	Completed Plans Checklist (this must be filled out). (pg. 7-9)
ePL	Legal Description (Digital copy in WORD)
	Current survey (with flood information)
	Digital Plans**

*Updated copies of the application, proof of ownership, or narrative may be required if information has changed (i.e.: if the property ownership changes, the owner's certificate and application will need to be revised with the City's file.)
**Refer to the Plans Checklist on page 7 of this application



Development Application

Development Review

A development order for a **Minor Site Plan** in accordance with section 155.2407 is required before issuance of a Zoning Compliance Permit for any development other than those for which a Major Site Plan is required in accordance with subsection 3.

A development order for a **Major Site Plan** in accordance with section 155.2407 is required before issuance of a Zoning Compliance Permit for the development listed in <u>Table 155.2407.B.1</u>.

TABLE 155.2407.B.1: MAJOR SITE PLAN APPLICABILITY								
	RESID	ENTIAL USE		NONRESIDENTIAL USE				
	New Development	More than 15 new multifamily dwelling units	New Development	More than 7,500 sq ft gfa				
Designated Brownfield Area or			Existing Development that is 7,500 sq ft gfa or less	An addition that results in development that contains more than 7,500 sq ft gfa				
Brownfield site	Existing Development	Addition of more than 15 new multifamily dwelling units	Existing Development that is more than 7,500 sq ft gfa	 One of the following, whichever is less: An addition that adds more than 37,500 sq ft gfa. An addition that increases the amount of lot coverage of such existing development by more than 37.5%. An addition that increases the gross floor area of the primary building of such existing development by more than 37.5%. 				
	New Development More than 10 new multifamily dwelling units		New Development	More than 5,000 sq ft gfa				
All Other Property			Existing Development that is 5,000 sq ft gfa or less:	An addition that results in development that contains more than 5,000 sq ft gfa				
Туреs	Existing Development Addition of more than 10 new multifamily dwelling units		Existing Development that is more than 5,000 sq ft gfa:	 One of the following, whichever is less: An addition that adds more than 25,000 sq ft gfa. An addition that increases the amount of lot coverage of such existing development by more than 25%. An addition that increases the gross floor area of the primary building of such existing development by more than 25%. 				



Development Application

Development Review

A development order for **Building Design** in accordance with section 155.2408 is required before issuance of a Zoning Compliance Permit for the development listed in <u>Table 155.2408.B.1</u>.

	TABLE 155.2408.B.1: BUILDING DESIGN APPLICABILITY							
All property		All new Institutional:	Open Space Uses identified in Section <u>155.4210</u> , of at least 10,000 sq. ft.					
Property abutting a designated arterial or collector road as defined by the Broward County Trafficways Plan		All new free standing buildings and all new attached additions facing or visible from the roadway. New free standing buildings or attached additions that are not facing or visible from the roadway shall comply with other applicable thresholds below.						
PROPERTY TYPE	RESIDE			NONRESIDENTIAL USE				
	New Developmen	t More than 15 new multifamily dwelling units	New Development	More than 7,500 sq ft gfa				
Designated			Existing Development that is 7,500 sq ft gfa or less	An addition that results in development that contains more than 7,500 sq ft gfa				
Brownfield Area or Brownfield Site	Existing Developmen	Addition of more than 15 new multifamily dwelling units	Existing Development that is more than 7,500 sq ft gfa	 One of the following, whichever is less: An addition that adds 37,500 sq ft gfa. An addition that increases the amount of lot coverage of such existing development by more than 37.5%. An addition that increases the gross floor area of the primary building of such existing development by more than 37.5%. 				
	New Developmen	t More than 10 new multifamily dwelling units	New Development	More than 5,000 sq ft gfa				
			Existing Development that is 5,000 sq ft gfa or less:	An addition that results in development that contains more than 5,000 sq ft gfa				
All Other Property Types	Existing Developmen	Addition of more than 10 new multifamily dwelling units	Existing Development that is more than 5,000 sq ft gfa:	 One of the following, whichever is less: An addition that adds more than 25,000 sq ft gfa. An addition that increases the amount of lot coverage of such existing development by more than 25%. An addition that increases the gross floor area of the primary building of such existing development by more than 25%. 				



P&Z#: _

100 W. Atlantic Blvd Pompano Beach, FL 33060 Phone: 954.786.4679 Fax: 954.786.4666

Development Application

Development Review (Check all that apply)

		Site Pla	an		Building Design				
	Minor		Major		Applicable (AAC Required)	Not Applicable			
Street Address:					olio Number:	Zoning District:			
S	ubdivision:			E	llock:		Lot:		
D	ate of Pre-Appli	cation Mee	ting (Required for Majo	or S	ite Plan):				
			Site	Da	ata				
Р	Project Name:								
Acres*: Number of units (Residential):					Total square feet of the building* (Non-Residential):				

*Minimum of one acre. Acres should be rounded to the nearest tenth. Square feet for non-residential developments should be rounded to the nearest thousand.

Owner's Representative or Agent	Landowner (Owner of Record)
Business Name (if applicable):	Business Name (if applicable):
Print Name and Title:	Print Name and Title:
Signature:	Signature:
Date:	Date:
Street Address:	Street Address:
Mailing Address City/ State/ Zip:	Mailing Address City/ State/ Zip:
Phone Number:	Phone Number:
Email:	Email:
Email of ePlan agent (if different):	



Development Application

OWNER'S CERTIFICATE

This is to certify that I am the owner of the subject lands described in this application and that I have authorized the filing of the aforesaid application.

By signing below, I agree that if the proposed development is found not in compliance with the applicable standards and minimum requirements of this Code then no building permit will be issued until those conditions the Development Services Director finds reasonably necessary to ensure compliance are met.

By signing below, I acknowledge that development applications must have a determination by the governing municipality of approved, approved with conditions, or denied within 120 days from a complete submittal for projects that do not require final action through a quasi-judicial hearing or a public meeting and within 180 days from a complete submittal for projects that do require final action through a quasi-judicial hearing or a public meeting and within 180 days from a complete submittal for projects that do require final action through a quasi-judicial hearing or a public meeting per FL Stat § 166.033 and the Pompano Beach Code Section 155.2303.F.3. It is the responsibility of the applicant to receive all final Development Orders and receive this determination within the allotted timeframe. If the applicant fails to resubmit an application within 30 calendar days after being first notified of deficiencies of the submittal, the application shall be considered withdrawn and a \$100 non-refundable administrative fee will apply (155.2303.F.2.b). Additionally, if all required approvals are not received within the allotted timeframe the application will automatically be denied unless both the City and the applicant agree to an extension of time (155.2303.I).

Owner's Name: (Print or Type)	
Address:	
	(Zip Code)
Phone:	
Email address:	
(Signature of Owner or Authorized Offic	ial)
SWORN AND SUBSCRIBED before me this day of [] physical presence or [] online notarization.	, by means of
NOTARY PUBLIC, STATE OF FLORIDA	
(Name of Notary Public: Print, stamp, or Type as Commissioned	l.)
[] Personally know to me, or[] Produced identification:	
(Type of Identification Produc	ed)



Development Application

Acknowledgement receipt of the Florida NPDES Stormwater Permitting Program for Construction Activity

of the proposed application for

(Print Name)

Ι.

am the

Development approval and authorized to sign on behalf of the owner. I hereby acknowledged that I have been given a copy of the Florida National Pollutant Discharge Elimination System (NPDES) Permitting Program for construction activity.

(Title)

Signature:

Date:



Development Application

PLANS CHECKLIST

*** THIS CHECKLIST MUST BE INITIALED AND FILLED OUT. ALL OF THE FOLLOWING DRAWINGS ARE REQUIRED UNLESS INITIALED BY THE PROJECT PLANNER. ***

Survey	Architectura (Elevations,	s Plans, etc.)	Landscape Plan	Irrigation Plan	Photometric Plan
Site Plan(s)	Life Safety Plans	Recorded Plat	Tree Survey and Tree Appraisals	Civil Plans	CPTED Security Plan

All plans to be oriented the same as survey. Each plan must be uploaded as a single-sheet PDF. Plans must be named using a 3-digit ordering number, sheet name, and sheet title as named in the checklist above. An example is provided below:

001 S-1 Survey 002 SP-1 Site Plan 003 C-1 Civil Plan

004 A-1 Architectural Floor Plan

SURVE	EY: COPY of signed an	d sealed original:						
	Current or dated within							
	Legal description of property							
	Property lines clearly shown							
	Location of all easemer	nts and utilities						
	All adjacent rights-of-wa	ay with dimensions to centerline, dimension of width, pavement width						
	Flood zone and flood e	levation data in NAVD format						
SITE P	LAN(S): Must be dra	to ONE (1") INCH = TWENTY (20') FEET where practical and include the following:						
Α.	General Information							
	Names of project, appli numbers	cant, owner, architect and/or engineer preparing plans with their respective addresses, telephone and fax						
	Location map showing	arterial streets and section lines						
	All adjacent rights-of-wa	ay, indication of required right-of-way dedications, and right-of-way and pavement widths						
	Dimension all site featu provide sight triangles	rres, overall building footprint, setbacks, parking stalls, driveway widths, walkways, landscape areas, signs, and						
	Scale and north arrow							
	Property lines and ease	ements clearly shown						
		ncluding water, sewer, gas, & assoc. elements including DDCV, Siamese connections, backflow preventers, etc.						
		atures, drainage improvements and on-site retention areas						
		ter & sewer demand (gallon usage per day)						
	Off-site improvements such as sidewalks, bus bays, turning lanes, utility lines and fire hydrants; also indicate all driveways or curb cuts within 300 feet of the site							
В.		District Information:						
	Current land use design							
		ct and abutting properties (and proposed zoning, if applicable)						
		and accessory structures with dimensions to lot lines and between structures						
	Building elevations and height							
	Total square footage of pervious and impervious areas and as percentages of total area							
	Computation - Gross acreage							
	Computation – Net acreage							
	Number of dwellings							
	Residential Use	Density						
<u> </u>		Dwelling units by type						
		Floor area of dwelling units by type						
	Non-Residential Use	Total Gross square footage for all buildings						
		Gross square footage for all uses						



City of Pompano Beach Department of Development Services Planning & Zoning Division

 100 W. Atlantic Blvd Pompano Beach, FL 33060

 Phone: 954.786.4679

 Fax: 954.786.4666

 Gross square footage for individu

Development Application

	001.700.1070	ax: 954.700.4000									
	Non-Residential Use	Gross square footage for individual buildings									
	(cont.)	Gross square footage for individual buildings per floor									
C. (Use Information:										
	Proposed Principal Use										
	Proposed Accessory Use(s), fill in:										
D. I	Development and Design Information:										
	Off-Street Parking and Loading Plan: Number of off-street parking spaces required and provided including handicapped: with typical sizes										
		ired and provided loading spaces; Access aisles and driveways; interaction with circulation plan; and surfacing									
	materials										
		nounted mechanical equipment, commercial containers, and rescreening methods									
		ecifications of all fences and walls									
		nt Plan: List, description, and location (if applicable) of sustainable features with points									
		nclude location and type of sign									
		ation plan incorporating the approved road widths and turning radius at 30ft inside and 50ft outside minimum									
ARCHI	<u> IECTURAL PLAN</u>	(S) Must be sealed by a Florida Registered Architect and include the following:									
	Dimensioned floor plans										
		ial Compatibility: Roofs; Exterior color palette; Architecture features; outdoor activity areas; location of off-street									
		of loading, service, and refuse areas; and location and photographs of abutting single family residential									
	development										
		ly Residential: Site layout including buildings, parking, and outdoor activity areas; Building Size; Building Facades									
); Architectural Variability options; Roofs; and Materials									
		cial, Institutional, and Mixed Use: Site layout including buildings, parking, and loading, service and equipment									
		ilding Façades and materials; Building Entrances; Fenestration/ Transparency; and Roofs									
		: Site layout including buildings, parking, and loading, service and equipment areas; Building Size; Building									
		and Building Entrances									
		s identifying colors and materials (by manufacturer and name/number) proposed									
		tion of all rooftop mechanical equipment and screening methods									
		açade and elevation features, building floors, mean height/high point and slope of roof									
LIFE SA	AFETY PLAN(S):										
		Connectivity; Emergency and service vehicle access; Vehicle stacking; Turning radii; Traffic calming measures;									
		r of bicycle spaces required and provided; and Pedestrian access									
		standards for fire prevention NFPA 1 - Chapter 18, Fire Department Access an Water Supply									
		g buildings: provide occupancy classification, construction type, square footage, number of floors and height of									
	building to highest occu										
		on plan incorporating the approved road widths and turning radius at 30ft inside and 50ft outside minimum.									
		enter point that arcs are measured from and proposed water utilities, fire hydrants, and main sizes. Fire hydrants and other fire protection appliances need									
		lepartment access routes. Refer to NFPA 1 2009ed Chapter 18 for required fire flow and Annex I for number of									
		Minimum of 2 fire hydrants are required within 400ft of any future building. Distance is measured by fire									
		ess roadways. (COPFL ORD. 95.09(C))									
_		Fire flow calculations are determined from square footage and construction type of structure. Refer to NFPA 1									
		for required fire flow, number/spacing of fire hydrants									
RECOR	DED PLAT: COPY										
		The City Clerk, City Engineer, Mayor and the Chairman of the Planning & Zoning Board									
	•										
	Plat net & gross acreag										
		d public or private streets, alleys, right-of-ways, easements for utilities, bike paths, bus shelters, or bus bays,									
		major water courses either on or adjacent to property									
	Dedication of streets or										
		the plat as a whole to the nearest square foot area tabulation including the right-of-way dedication, easements,									
	etc										
LANDS		be sealed by a Florida Registered Landscape Architect and include the following:									
	Location of all landscap	ed areas with dimensions									



City of Pompano Beach Department of Development Services Planning & Zoning Division

100 W. Atlantic Blvd Pompano Beach, FL 33060 Phone: 954.786.4679 Fax: 954.786.4666

Development Application

		Table indicating all Common and scientific names for all plant material
		landscape requirements
		Quantities and sizes of plant material with percentages of material by species and nativity
		Building location
		Light pole fixtures and light pole locations showing required 15-foot radius around each fixture
		Parking and vehicular-use areas
		Square footage of vehicular use area and percentage of interior landscaping
		Location of all walls, fences, berms and other buffers with material specifications and heights
		Commercial container locations and screening
		Screening of ground-mounted mechanical equipment
		Location of all easements
		SURVEY & TREE APPRAISALS:
Т	ree Sur	vey must be sealed by a FL Registered Surveyor and Appraisals must be done by a Certified Arborist and include:
		Tree survey to include corresponding tree assessments in table form. Include the following data: common name, scientific name, size, condition, value and status (existing vegetation on site, vegetation to remain, to be removed and relocated)
		Tree appraisals to follow cost approach as identified in Rule 14-40.030 in the FL Administrative Code
IF	RRIGA	TION PLAN: Must be sealed by a FL Registered Landscape Architect or Professional Engineer:
		Irrigation plan showing irrigation layout
	1	Location of all existing and proposed paved areas, all existing and proposed spot grades, and all existing and proposed drainage utilities
Γ		Location of all existing and proposed water and sewer utilities
Γ		Location of all easements
С	IVIL F	LAN(S): Must be sealed by a Florida Registered Professional Engineer and include the following:
		Paving, grading, and drainage (PGD) plan showing location of all existing and proposed paving specifications, all existing and proposed spot grades, and all existing and proposed drainage utilities
]	Water and sewer (WS) plan showing location of all existing and proposed utilities for water and sewer, AT&T, Comcast, FPL, and Teco Gas
Г	7	Traffic markings and signage (TMS) plan showing all pavement makings and traffic signage
F	5	Paving, grading, drainage, and sewer details
		METRIC PLAN:
		Lighting / Photometric Plan: Location, height, and detail of Lighting fixtures; and Illumination levels, direction and shielding
P	OBLIC	SAFETY SECURITY PLAN: Incorporating security strengthening and CPTED principles:
		Signed & Sealed CPTED (Crime Prevention Through Environmental Design) Security Drawing Plan 24"x36". Plan must be signed and sealed by a Florida Registered Architect, Florida Registered Landscape Architect, or Florida Registered Engineer. CPTED Consultant is preferred
		Location of all walls, fences, and gates with material specifications and heights
		Location of all external cameras and motion sensors
		Location of dumpster with gate detail allowing for gap from grade to gate
		Bench/seating area locations with furnishing detail to include separators
		Location, height, and specification of security-aiding landscaping or landscape maintenance (thorny shrubs, continuous hedging, low maintenance of shrubs)
Γ		Specifications of non-impact and impact glass
	_	
		CPTED Security Narrative 8.5"x11" identifying how <u>all 5 CPTED Principles</u> are being achieved in the Security Drawing Plan, along with an approved maintenance plan. Narrative must be signed by a Florida Registered Architect, Florida Registered Landscape Architect, or Florida Registered Engineer. CPTED Consultant is preferred



Development Application

CPTED PRINCIPLES

Crime Prevention Through Environmental Design

CPTED Principle #1 - Natural Surveillance

"See and be seen" is the overall goal when it comes to CPTED and natural surveillance. A person is less likely to commit a crime if they think someone will see them do it. Lighting and landscape play an important role in Crime Prevention Through Environmental Design.

CPTED Principle #2 - Natural Access Control

Natural Access Control is more than a high block wall topped with barbed wire. Crime Prevention Through Environmental Design or CPTED utilizes the use of walkways, fences, lighting, signage and landscape to clearly guide people and vehicles to and from the proper entrances. The goal with this CPTED principle is not necessarily to keep intruders out, but to direct the flow of people while decreasing the opportunity for crime.

CPTED Principle #3 - Territorial Reinforcement

Creating or extending a "sphere of influence" by utilizing physical designs such as pavement treatments, landscaping and signage that enable users of an area to develop a sense of proprietorship over it is the goal of this CPTED principle. Public areas are clearly distinguished from private ones. Potential trespassers perceive this control and are thereby discouraged.

CPTED Principle #4 - Maintenance

CPTED and the "Broken Window Theory" suggests that one "broken window" or nuisance, if allowed to exist, will lead to others and ultimately to the decline of an entire neighborhood. Neglected and poorly maintained properties are breeding grounds for criminal activity. A formal CPTED based maintenance plan will help you preserve your property value and make it a safer place.

CPTED Principle #5 – Activity Support

Increase the use of a built environment for safe activities with the intent of increasing the risk of detection of criminal and undesirable activities. Natural Surveillance by the intended users is casual and there is no specific plan for people to watch out for criminal activity.

If you have any questions or concerns with incorporating the CPTED Principles in your design. Please contact Deputy Patrick Noble with the Broward County Sheriff's Office at: <u>Patrick Noble@sheriff.org</u> or at (954) 709-7006.

NOTICE EFFECTIVE FEBRUARY 1, 2008

Per resolution 08-97 RESIDENTIAL PLATS AND SITE PLAN APPLICATIONS shall not be approved without providing the appropriate written approvals from Broward County School District. **APPLICANTS MUST TRANSMIT RESIDENTIAL PLATS AND SITE PLANS TO BROWARD COUNTY SCHOOL**

DISTRICT.

For your convenience an application is attached to all plat applications and for additional information contact:

The School Board of Broward County, Florida Growth Management Department Facility Management, Planning & Site Acquisition 1643 North Harrison Parkway Sunrise, Florida 33323 (754)-321-8350

or visit their website to complete the application online: https://www.browardschools.com/cms/lib/FL01803656/Centricity/Domain/13479/Public SchoolImpactApplication1.pdf *A new online system called Interactive Notice of Intent (iNOI) is now available to the public. Applicants that use iNOI can complete, save, edit, pay for (using a credit card) and submit NPDES Stormwater applications online. The use of iNOI is encouraged but voluntary. Applicants can still submit paper notices. iNOI is available at www.dep.state.fl.us/water/ stormwater/npdes/

5. If you complete a paper NOI, submit it along with the application fee, as indicated below, to the NPDES Stormwater Notices Center. Authorization is usually granted 48 hours after the date the complete NOI is post-marked to the Notices Center.

The fee is required by Rule 62-4.050(4) (d), FA.C.. Make checks payable to the Florida Department of Environmental Protection. Large Construction (disturbs 5 or more acres of land) is \$400. Small Construction (disturbs between 1 and 5 acres) is \$250.

6. Re-apply for coverage every five years (if the construction activity extends beyond a 5-year period) or submit an NOT to terminate coverage.

Where Can I Find More Information?

DEP's Web site provides more information on program coverage and requirements, useful Web links, and electronic versions of the CGP, all regulations and forms cited herein, and SWPPP guidance. In addition, the NPDES Stormwater -Notices Center provides hardcopies of permits and forms. -

NPDES Stormwater Section

Florida Department of Environmental Protection -2600 Blair Stone Road, MS #2500 -Tallahassee, FL 32399-2400 -(850) 245-7522 -Email NPDES-stormwater@dep.state.fl.us -

iNOI

www.dep.state.fl.us/water/stormwater/npdes

NPDES Stormwater Notices Center

Florida Department of Environmental Protection -2600 Blair Stone Road, MS #2510 -Tallahassee, FL 32399-2400 -(866) 336-6312 (toll free) or (850) 297-1232



03/09

Florida Department of Environmental Protection NPDES Stormwater Section 2600 Blair Stone Road, MS #2500 Tallahassee, FL 32399-2400

The Florida NPDES Stormwater Permitting Program for

Construction Activity







What is Florida's NPDES Stormwater Permitting Program for Construction Activity?

In October 2000, the U.S. Environmental Protection Agency (EPA) authorized the Florida Department of Environmental Protection (DEP) to implement the National Pollutant Discharge Elimination System (NPDES) stormwater permitting program in the State of Florida (with the exception of Indian Country lands). The program regulates point source discharges of stormwater runoff from certain construction sites and was developed by EPA in two phases: Phase I regulates "large" construction activity (disturbing 5 or more acres of total land area) and Phase II regulates "small" construction activity (disturbing between 1 and 5 acres of total land area).

The "operator" (i.e., the entity that owns or operates the project and has authority to ensure compliance) of regulated construction sites must obtain an NPDES stormwater permit and implement appropriate pollution prevention techniques to minimize erosion and sedimentation and properly manage stormwater. DEP adopted under Rule 62-621.300(4), EA.C., the *Generic Permit for Stormwater Discharge from Large and Small Construction Activities (CGP)* (DEP Document 62-621.300(4)(a)) which is applicable to Phase I large construction and Phase II small construction.

It is important to note that the permit required under DEP's NPDES Stormwater permitting program is separate from the Environmental Resource Permit (ERP) required under Part IV, Chapter 373, ES., a stormwater discharge permit required under Chapter 62-25, EA.C., or any local government's stormwater discharge permit for construction activity.

Which Construction Activities Are Regulated Under The Program?

DEP's permitting program regulates construction activity that meets the following criteria:



- Contributes stormwater discharges to surface waters of the State or into a municipal separate storm sewer system (MS4).
- Disturbs one or more acres of land. Less than one acre also is included if the activity is part of a larger common plan of development or sale that will meet or exceed the one acre threshold. Disturbance includes clearing, grading and excavating.

What Does the CGP Require?

- A CGP Notice of Intent (NOI) (DEP Form 62-621.300(4)(b)) must be submitted to DEP.
- A **Stormwater Pollution Prevention Plan (SWPPP)**. In part, the plan must include the following:
 - A site evaluation of how and where pollutants may be mobilized by stormwater
 - - A site plan for managing stormwater runoff,
 - Identification of appropriate erosion and sediment controls and stormwater best management practices (BMPs) to reduce erosion, sedimentation, and stormwater pollution,
 - - A maintenance and inspection schedule,
 - - A recordkeeping process, and
 - - Identification of stormwater exit areas.
- A *Notice of Termination* (NOT) (DEP Form 62-621.300(6)) must be submitted to DEP to discontinue permit coverage. An NOT may be submitted only when the site meets the eligibility requirements for termination specified in the CGP.

What Are Some Examples of BMPs?

A comprehensive SWPPP includes both structural and nonstructural controls. Some commonly used controls follow:



Structural Controls

- - **Retention Ponds.** Permanent structures designed to allow time for sediments to settle and water to infiltrate the ground.
- - **Temporary Sediment Basins.** Structures designed to detain sediment-laden runoff from disturbed areas long enough for sediments to settle out and control the release of stormwater.
- - Entrance/Exit Controls. Temporary controls, such as gravel, used to stabilize the entrances/exits to the site to reduce the amount of soils transported onto paved roads by vehicles (known as "track-out").
- - **Silt Fencing.** A temporary erosion and sediment control used to prevent dirt from entering waterways before bare soil is stabilized with vegetation.
- - **Berms.** A temporary erosion and sediment control that physically prevents polluted runoff from entering nearby storm drain inlets and waters.

Non-Structural Controls

- Stabilization. Techniques such as sodding, seeding/ mulching and stone cover, which reduce the erosion of exposed soils and steep grades.
- - **Phased Construction.** Scheduling construction to occur during the dry season or to minimize the amount of land cleared at any one time.
- - Good Housekeeping. Techniques such as oil and fuel containment, spill prevention and clean-up, and street sweeping of "tracked-out" soils, which help prevent the contamination of stormwater runoff.

How Do I Obtain Permit Coverage?

To obtain NPDES stormwater permit coverage, complete the following steps:

- 1. Obtain a copy of the CGP.
- 2. Carefully read the permit language.
- 3. Develop and implement a SWPPP.
- 4. Complete an NOI in its entirety online using the iNOI system * or by submitting a paper NOI.

Visit DEP's Web site at: www.dep.state.fl.us/water/stormwater/npdes/